

Dry Vacuum Cleaner	2	3
Backpack		
Vacuum Cleaner	2	6
Wet & Dry		
Vacuum Cleaner	2	7

VACUUM CLEANER



IMEC UPV300

Upright Vacuum Cleane Code: 210-300

Technical Specifications

Motor	1200 W
Tank Capacity	5.5 L
Voltage	220 - 240 V
Mode of Cooling	Circulating Air Cooling
Air Flow Rate	48 L/s
Vacuum Suction	190 m/Bar
Noise Level	68 dB(A)
Dimension (cm)	31 (L) × 32 (W) × 117 (H)
Weight	9.3 kg
Cable Length	11.5 m







Accessories Provided

Cylindrical Brush

Indicator that warns if the dust bag is full or blocked



IMEC GP27

HEPA Special Dry Vacuum Cleaner


Technical Specifications

Motor	1300 W
Tank Capacity	27 L
Voltage	220 - 240 V
Mode of Cooling	Through-Flow Motor
Air Flow Rate	210 m3/h
Vacuum Suction	2900 mmH20
Noise Level	64 dB(A)
Dimension (cm)	35 (L) × 35 (W) × 61 (H)
Weight	9 kg
Cable Length	7 m





4 Stage Filteration
Class 100
ISO 5



Microfiber Bag (10pcs/pack) 210-127-4

IMEC SV292i

Dry Vacuum Cleaner Code: 210-292

Technical Specifications

Motor	1000 W (Single-Stage)
Tank Capacity	10 L
Voltage	220 - 240 V
Mode of Cooling	Circulating Air Cooling
Air Flow Rate	48 L/s
Vacuum Suction	210 m/Bar
Noise Level	60 dB(A) ≤ 45dB
Dimension (cm)	39 (L) × 40 (W) × 38 (H)
Weight	7.1 kg
Cable Length	6 m





Accessories Provided

Adjustable Telescopic Wand up to 98cm











HVB10 (210-010) Double Layer Paper Bag (10pcs/pack)

HVB-H (210-019) HEPA Pro-Filter Bag

(210-310) Cloth Filter Bag Washable

IMEC XTRA SV115

Dry Vacuum Cleane Code: 210-115

Technical Specifications

Motor	1000 W (Single-Stage)
Tank Capacity	10 L
Voltage	220 - 240 V
Mode of Cooling	Circulating Air Cooling
Air Flow Rate	53 L/s
Vacuum Suction	210 m/Bar
Noise Level	75 dB(A)
Dimension (cm)	37 (L) × 36.5 (W) × 44.5 (H)
Weight	8.3 kg
Cable Length	6.7 m



Accessories Provided

\bigstar Optional:



HVB15 (210-015) Double Layer Paper Bag (10pcs/pack)



IMEC iBLACK 295i

Motor	1100 W (Double-Stage)
Tank Capacity	10 L
Voltage	220 - 240 V
Mode of Cooling	Circulating Air Cooling
Air Flow Rate	52 L/s
Vacuum Suction	230 m/Bar
Noise Level	56 dB(A)
Dimension (cm)	39 (L) × 40 (W) × 38 (H)
Weight	7.6 kg
Cable Length	6 m















HVB10 (210-010) Double Layer Paper Bag (10pcs/pack)

HVB-H (210-019) HEPA Pro-Filter Bag

(210-310) Cloth Filter Bag Washable



Vacuum Cleaner



IMEC iBLACK V6B

Backpack Vacuum Cleaner Battery Operated Code: 220-V6B-00

Motor	350 W
Tank Capacity	5 L
Voltage	24 V
Mode of Cooling	Air Cooling
Air Flow Rate	50 L/s
Vacuum Suction	215 m/Bar
Noise Level	≤ 45dB
Dimension (cm)	25 (L) x 25(W) × 59 (H)
Weight	6.7 kg
Power Usage	up to 1 hour







Convenience movement even at hard to reach area

Dual Side pocket to keep accessories handy





IMEC iBLACK V3 PLUS

Motor	1000 W
Tank Capacity	4 L
Voltage	220 - 240 V
Mode of Cooling	Circulating Air Cooling
Air Flow Rate	3.26 L/s
Vacuum Suction	215 m/Bar
Noise Level	65 dB(A)
Dimension (cm)	31 (L) × 35 (W) × 55 (H)
Weight	6.4 kg
Cable Length	18 m



Accessories Provided



Circulating air movement



Fit up to 40" waist strap and chest lock

Accessories Provided



Space Saving & Practical Storage

IMEC SW550i

ndustrial Wet & Dry Vacuum Cleaner Code: 210-0550-00

Technical Specification	ons

Motor	1100 W
Tank Capacity	30L/ 40L
Voltage	220 - 240 V
Mode of Cooling	Circulating Air Cooling
Air Flow Rate	53 L/s
Vacuum Suction	230 m/Bar
Noise Level	78 dB(A)
Dimension (cm)	37 (L) × 38(W) × 72 (H)
Weight	9 kg
Cable Length	7 m

- Single motor wet and dry vacuum cleaner
- Light weight for higher productivity and suitable to use in congested areas.





Dry Pick Up



Wet Pick Up

IMEC XTRA SW30

Industrial Wet & Dry Vacuum Cleaner Code: 210-1630

Technical Specifications

Motor	1000 W
Tank Capacity	30L / 40L
Voltage	220 - 240 V
Mode of Cooling	Circulating Air Cooling
Air Flow Rate	53 L/s
Vacuum Suction	230 m/Bar
Noise Level	78 dB(A)
Dimension (cm)	38 (L) × 38 (W) × 74 (H)
Weight	9.5 kg
Cable Length	6.5 m

- \bullet Single motor wet and dry vacuum cleaner
- $\bullet \ 4 \ \text{swivel castor wheels for better manoeuvrability}$
- Lightweight for higher productivity and suitable to use in congested areas.
- Comes with standard accessories.




Vacuum Cleaner



IMEC SWD1150i

Motor	2 x 1100 W
Tank Capacity	60L / 75 L
Voltage	220 - 240 V
Mode of Cooling	Circulating Air Cooling
Air Flow Rate	106 L/s
Vacuum Suction	250 m/Bar
Noise Level	78 dB(A)
Dimension (cm)	49 (L) × 50 (W) × 93 (H)
Weight	23 kg
Cable Length	8 m



- Large tank capacity also helps to cut down waste disposal time
- Built-in discharge hose provides hassle free cleaning and disposing dirty water.



Accessories Provided



Stainless steel tank for




impact and corrosion resistant





IMEC XTRA SWD70 IMEC XTRA SWD70s

Motor	2 × 1000 W
Tank Capacity	60L / 75L
Voltage	220 - 240 V
Mode of Cooling	Circulating Air Cooling
Air Flow Rate	106 L/s
Vacuum Suction	250 m/Bar
Noise Level	78 dB(A)
Dimension (cm)	50 (L) × 53 (W) × 94 (H)
Weight	18 kg
Cable Length	7.5 m



- Large tank capacity also helps to cut down waste disposal time
- Stainless steel body suitable for pick up coarse dirt or sharp debris



Dry Pick Up



Wet Pick Up



Accessories Provided



Industrial Wet & Dry Vacuum

IMEC SWD1500i

Industrial Wet & Dry Vacuum Cleaner Code: 210-1500

Technical Specifications

Motor	2×1100 W
Tank Capacity	70L/90L
Voltage	220 - 240 V
Mode of Cooling	Circulation Air Cooling
Air Flow Rate	106 L/s
Vacuum Suction	250m/Bar
Noise Level	78 dB(A)
Dimension (cm)	48 (L) × 51 (W) × 95 (H)
Weight	25 kg
Cable Length	8 m

- Semi-transparent PP tank that break-resistant and visible.
- Two motors provide strong suction, ensure efficient water pick up and gives streak free, excellent drying result.
- Built-in discharge hose, provides hassle free cleaning and disposing dirty water







Semi Transparent PP Tank



Dry Pick Up



Wet Pick Up

IMEC XTRA SWD90

Industrial Wet & Dry Vacuum Cleaner Code: 210-1690

Technical Specifications

Motor	2 x 1000 W
Tank Capacity	70L/90L
Voltage	220 - 240 V
Mode of Cooling	Circulating Air Cooling
Air Flow Rate	120 L/s
Vacuum Suction	250 m/Bar
Noise Level	78 dB(A)
Dimension (cm)	44 (L) × 50 (W) × 97 (H)
Weight	22 kg
Cable Length	7.5 m

- Semi-transparent PP tank that break-resistant and visible
- Two motors provide strong suction, ensure efficient water pick up and gives streak free, excellent drying result.
- Built-in discharge hose, provides hassle free cleaning and disposing dirty water



Powered by :

