

# Floor Care

Floor Scrubber .....

Ultra High Speed  
Floor Polisher .....

Multi-wash Machine .....

Walk Behind  
Auto Scrubber .....

Ride-on Auto  
Scrubber .....

Walk Behind  
Sweeper .....

Ride-on Auto  
Sweeper .....

High Pressure  
Jet .....

Wind Blower .....

Upholstery / Carpet  
Care .....



# Floor Care Machine

## Floor Scrubber



Staircase



Toilet Cubicle



Hard Surface Flooring

### IMEC P130

10" Single Disc Scrubber Machine  
Code: 220-P130

#### Technical Specifications

Motor	250 W
Voltage	220 - 240 V
Speed	150 rpm
Pad/Brush Size	10"
Weight	14.8 kg
Cable Length	10 m

- Staircase cleaning, washroom, kitchen & others
- Ideal for tight spaces and small areas that other scrubbers cannot do
- Easy to operate with no experience needed
- Effective cleaning with agitation system
- Lightweight mobile floor scrubber
- Low noise level



#### ★ Standard Accessories

- Brush
- Pad Holder



Heavy duty bumper & powerful motor



Twister to adjust water level

### IMEC P160

16" Single Disc Floor Scrubber Machine  
Code: 220-P160

#### Technical Specifications

Motor	1500 W
Voltage	220 - 240 V
Speed	154 rpm
Pad/Brush Size	16"
Weight	53 kg
Cable Length	12 m

- Excellent choice for restaurant, hotels, retail stores, factories, warehouses and hospitals
- Economical yet heavy duty floor scrubber
- Easy to operate and maintain
- Comes with protective bumper

#### ★ Standard Accessories

- Brush
- Pad Holder

#### ★ Optional Accessories

- Carpet Shampoo Brush (220-158)
- Pad Holder for Diamond Disc (220-159)



Strong power motor & durable improved motor housing

### IMEC XTRA P154N

16" Single Disc Floor Scrubber Machine  
Code: 220-P154N

#### Technical Specifications

Motor	1100 W
Voltage	220 - 240 V
Speed	154 rpm
Pad/Brush Size	16"
Weight	40 kg
Cable Length	12 m

- Suitable for floor scrubbing, stripping, bonnet cleaning, carpet shampooing and crystallization system
- Heavy duty bumper to prevent the machine & wall from damage
- Adjustable handle promotes low fatigue operation

**xtra**  
S E R I E S

#### ★ Standard Accessories

- Brush
- Pad Holder

#### ★ Optional Accessories

- Carpet Shampoo Brush (220-128N)





## IMEC P190

17" Single Disc Floor Scrubber Machine  
Code: 220-P190

- ★ **Standard Accessories**  
Brush  
Pad Holder

### Technical Specifications

Motor	1100 W
Voltage	220 - 240 V
Speed	160 rpm
Pad/Brush Size	17"
Weight	45 kg
Cable Length	11 m

- Heavy weight machine provides higher productivity and stability
- Perfect for cleaning hard floor and carpet bonnet cleaning
- Ideal for a variety of floor types such as concrete, coated floors, stone, ceramic, tiles, PVC and linoleum, parquet, wood and carpet
- 12L solution tank which can dispense cleaning solution on the floor for effective cleaning
- Powerful 1100W heavy duty motor
- Ergonomic handle design with adjustable handle based on user preference
- Fully surrounded and non-marking rubber bumper protects the machine from damage
- Suitable to use 16" or 17" floor cleaning pad or brush diameter
- User-friendly manual floor scrubber designed to deliver effective cleaning task
- Well balance machine and provide good stability to the user
- Highly durable chrome metal polished chassis



## IMEC 480 Plus

17" HD Single Disc Floor Scrubber Machine  
Code: 220-480-PLUS

- ★ **Standard Accessories**  
Pad Holder  
Diamond Disc Pad Holder  
2 pcs Extra Weight (16kg/each)

- ★ **Optional Accessories**  
Orange HD Oil Brush (220-480)  
Scrubbing Brush (230-257)

### Technical Specifications

Motor	1800 W
Voltage	220 - 240 V
Speed	176 rpm
Pad/Brush Size	18"
Weight	78 kg
Cable Length	12 m

- Heavy weight for incredible cleaning outcome
- Ideal for floor scrubbing, stripping and crystallization system
- Heavy weight provides extra stability & productivity
- Extra weight is highly recommended for stone crystallization system
- Rugged, chrome body



2 pcs Extra Weight  
(16 kg/each)

# Floor Care Machine

Floor Scrubber ▼



## IMEC i-SCRUB 25


Floor Scrubber & Polisher Machine  
Code: 220-i25

### Technical Specifications

Motor	180W
Voltage	220 - 240 V
Speed	2800 rpm (orbital motion)
Pad Size (cm)	25 (L) x 13 (W)
Weight	13 kg
Cable Length	5 m

★ **Standard Accessories**  
White & Green Scrubbing Pad

★ **Optional Accessories**  
Marble Restoration Pad  
(130-1708/1715/1730/1780)



Red Scrubbing Pad  
(220-551)



Wall



Stair Tread



Toilet Cubicle



Stair Raiser



## IMEC FIMAP ORBITIZER

Cordless Floor Scrubber  
Code: 280-109940

### Technical Specifications

DC Motor	300 W
Voltage	36V DC
Oscillations	3,800 opm
Solutions Tank	1 L
Run Time	Up to 1 Hour
Pad Size (cm)	34 (L) x 16 (W)
Pressure on the orbital head	7 kg
Weight	11.2 kg

★ **Standard Accessories**  
IMEC Pad 34x16cm  
(Black & White)  
(280-553/280-555)

★ **Optional Accessories**



2L Long Range Backpack  
(280-452636)

- Ideal to use at all area with just one cordless machine, floor treatments in most inaccessible spaces can be done
- Orbital technology - The cleaning result is uniform over the entire surface
- 3,800 oscillations/minute - Cleaning head with rotating micro-movements
- The low cleaning head allows to clean areas that other machines can't reach
- Perfect for edges - Narrow spaces and hard to reach area
- Suitable to work on floors like ceramic, vinyl, concrete, marble, granite and resin flooring
- 2 front nozzles to spray out the detergent - Release 60 microns that suitable to spray on the floor and any application



Total Dust Control (TDC) Vacuum System ensures a fast set and high-efficiency dust removal in one pass

Full floating skirt traps the polishing dust to allow the vacuum leave the floor free from dust

## IMEC P1700

16" Ultra High Speed Floor Polisher/Burnisher  
Code: 220-P1700

### Technical Specifications

Motor	1600 W
Voltage	220 - 240 V
Speed	1700 rpm
Pad Holder Size	16"
Vacuum	300 W
Weight	39 kg
Cable Length	15 m

- Maintenance free adjustable handle
- Safety system with triggers feature
- Optimum in achieving the glossy enduring "wet look" shine and luster



Adjustable pad pressure

## IMEC iBLACK P1500S

20" Ultra High Speed Floor Polisher/Burnisher  
Code: 220-P1500S


### Technical Specifications

Motor	1800 W
Voltage	220 - 240 V
Speed	1500 rpm
Pad Holder Size	20"
Weight	43kg
Cable Length	12 m

- Powerful 1500 rpm pad rotation for excellent gloss result
- Maintenance free with adjustable handle
- Easy to handle and ideal for large and small areas
- Produce ultimate wet look on finished floor



Easy to handle



Agitation system

## IMEC iBLACK DR17

17" Diamond Restorer & Polisher  
Code: 220-DR17

### Technical Specifications

Motor	1100 W
Voltage	220 - 240 V
Speed	1400 rpm (agitation)
Pad Holder Size	17"
Weight	85kg
Cable Length	11 m

- Suitable for restoration and polishing
- Easy to handle with push and pull movement

# Floor Care Machine

Multi-wash Machine ▾



## IMEC ROTO 440 IMEC ROTO 440B

Multi-wash Machine, Scrub & Clean all Type Surface  
Code: 204-R440  
204-R440B

### Technical Specifications

	• ROTO 440	• ROTO 440B
Voltage	220 - 240 V	24V DC
Brush Motor	1000 W	650 W DC
Brush Speed	720 rpm	720 rpm
Cleaning Width	43 cm	43 cm
Solution Tank	3 L	3 L
Recovery Tank	5.5 L	5.5 L
Dimension (cm)	53 (L) x 39 (W) x 114 (H)	53 (L) x 39 (W) x 114 (H)
Weight	34.5 kg	31.6 kg

- Large solution tank capacity
- Easy to move machine to another location with the trolley wheel



Escalator



Carpet



All Hard Surface Flooring

Walk Behind Auto Scrubber ▾



## IMEC i-SCRUB X8

Walk behind battery Operated Auto Floor Scrubber  
Code: 220-GX08

### Technical Specifications

Voltage	24V
Brush Power	2 X 160W
Rotate Speed	350 rpm
Suction Motor Power	120 W
Solution Tank	6 L
Recovery Tank	9 L
Squeegee Width	520 mm
Working Capacity	1200 m <sup>2</sup> /h
Running Time	Up to 90 min
Charging Time	3.5 hours
Dimension (cm)	51.8 (L) x 41 (W) x 123.5 (H)
Weight	24 kg



Dual Brush



Standing Safety Lock



Ergonomic handle



Reverse dry system



Fold for easy storage and carrying

## IMEC i-SCRUBX9

Walk Behind Battery Operated Compact Auto Floor Scrubber  
Code: 250-GX09

Technical Specifications	
Voltage	24V DC
Brush Motor DC	200 W
Suction Motor DC	120 W
Cleaning Width	11"
Squeegee Width	34 cm
Working Capacity	800 m <sup>2</sup> /h
Recovery Tank	9L
Solution Tank	6L
Running Time	Up to 2 Hours
Charging Time	2 Hours
Dimension (cm)	58.4 (L) x 40.1 (W) x 104 (H)
Weight (kg)	20 kg



180° adjustable handle



Simple operational button

## IMEC GX15

Walk Behind Battery Operated Auto Floor Scrubber  
Code: 250-GX15

Technical Specifications	
Voltage	24V DC
Brush Motor DC	400 W
Suction Motor DC	400 W
Speed	180 rpm
Brush Pad Size	14"
Cleaning Width	35 cm
Squeegee Width	42 cm
Solution Tank	13 L
Recovery Tank	15 L
Run Time	Up to 1.5 Hours
Charging Time	2 Hours
Dimension (cm)	72 (L) x 45 (W) x 103 (H)
Weight	60 kg



Adjustable handle



Safety lock pad

## IMEC iBLACK C43E

Walk Behind Auto Floor Scrubber  
Code: 230-C43

Technical Specifications	
Voltage	220 - 240 V
Brush Motor	400 W
Suction Motor	1200 W
Speed	155 rpm
Pad/Brush Size	16"
Working Capacity	1600 m <sup>2</sup> /h
Cleaning Width	43 cm
Solution Tank	30 L
Recovery Tank	30 L
Cable Length	18 m
Dimension (cm)	50 (L) x 109 (W) x 110 (H)
Weight	105 kg

# Floor Care Machine

Walk Behind Auto Scrubber



## IMEC iBLACK CB45

Walk Behind Auto Floor Scrubber Battery Operated  
Code: 230-CB45

### Technical Specifications

Voltage	24V DC
Brush Motor DC	550W
Vacuum Motor DC	500W
Speed	210 rpm
Pad/Brush Size	20"
Cleaning Width	50.8 cm
Working Capacity	1750 m <sup>2</sup> /h
Solution Tank	40 L
Recovery Tank	40 L
Suction Width	75.5 cm
Dimension (cm)	49 (L) x 120 (W) x 89 (H)
Weight	145 kg



Splash skirt  
reduce overspray



Parabolic squeegee



## IMEC GX55

Walk Behind Auto Floor Scrubber Battery Operated  
Code: 250-GX55

### Technical Specifications

Voltage	24V DC
Brush Motor DC	500 W
Vacuum Motor DC	500 W
Speed	150 rpm
Pad/Brush Size	21"
Cleaning Width	56 cm
Working Capacity	2300 m <sup>2</sup> /h
Solution Tank	50 L
Recovery Tank	55 L
Suction Width	83 cm
Dimension (cm)	124(L) x 60(W) x 96(H)
Weight	148 kg



Pad Holder 21"



Operation Panel with  
ECO Mode



Parabolic Squeegee

# Floor Care Machine

Walk Behind Auto Scrubber



CHEMICAL - FREE CLEANING SOLUTION



## IMEC FIMAP AQUAE EMX 50 PRO

Walk Behind Auto Floor Scrubber Battery Operated  
Code: 280-111011

### Technical Specifications

Voltage	24V DC
Brush Motor DC	500W
Suction Motor DC	422 W
Pad/Brush Size	20"
Brush/Pad Speed	140 rpm
Water Tank	40 L
Recovery Tank	40L
Working Width	51 cm
Working Capacity	1785 m <sup>2</sup> /hour
Product Size	70.5 (L) x 122.5 (W) x 103 (H)
Product Weight	144 kg



### ECO MODE

Using less water, less energy and producing more silence cleaning while maintaining effective



### AQUAE SYSTEM

Cleaning without detergent



### OPTIONAL ACCESSORIES



AQUAE

AQUAE + DS  
(DETERGENT DOSING SYSTEM)

AQUAE + DS + SPRAY GUN



FSS-FIMAP  
SOLUTION SAVER



FLR-FIMAP  
LONG RANGE



HEPA  
Filter



TANKS MADE  
FROM RECYCLED PLASTIC



FIMAP  
FLEET MANAGEMENT



### CRUISE CONTROL

Speed setting for cleaning and movement to avoid improper or dangerous use



### DIGITAL CONTROL PANEL

Convenience for user to do cleaning setting.



### IDEAL TO USE



Shopping  
Mall/Retails



Cleaning  
Contractors



Hotel



Factories



Green Building



Transportation



Sport Centre



Hospital

# Floor Care Machine

Ride-on Auto Scrubber



## IMEC FIMAP MR85

Ride On Auto Floor Scrubber  
Code: 280-105468

### Technical Specifications

Brush Motor DC	24V / 450W x 2
Suction Motor DC	24V / 310W
Brush Speed	170 rpm
Pad/Brush Size	16" x 2
Cleaning Width	85 cm
Working Capacity	5100 m <sup>2</sup> /h
Solution Tank	110 L
Recovery Tank	125 L
Dimension (cm)	149 (L) x 85 (W) x 132 (H)
Weight	359 kg

- Extremely user friendly: do not require any specialized personnel to operate the machine.
- Highly mobile with design that fits the machine into standard lift and enables to clean large areas.
- Low cost and super easy maintenance.



Sit on & Start!



Turn on water & lower the brush head & the squeegee



Go!



## IMEC FIMAP MMg

Ride On Auto Floor Scrubber  
Code: 280-107639

### Technical Specifications

Brush Motor DC	24V / 720W
Suction Motor DC	24V / 400W
Brush Speed	150 rpm
Brush Size	15" x 2
Cleaning Width	85 cm
Working Capacity	4500 m <sup>2</sup> /h
Solution Tank	110 L
Recovery Tank	110 L
Dimension (cm)	88 (L) x 160 (W) x 124.5 (H)
Weight	268 kg

- MMG is the most advanced Fimap machine that makes cleaning operation intelligent, interactive and easy
- The most innovative solutions is being used to increase productivity and get the best results and benefits in small and medium areas
- The most innovative solutions is being used to increase productivity and get the best results and benefits in small and medium areas
- Drive allows to manage all machine functions through a control panel on a touch screen it makes driving easier and ensures a good start on cleaning operation
- FLR-Fimap Long Range recycling system that increases productivity, using up to 70% less chemicals
- Power Mode increases scrubbing effectiveness in heavy duty cleaning tasks
- Built-in bumpers help to protect components, reduce maintenance and ownership costs





## IMEC FIMAP MXR

Ride On Auto Floor Scrubber  
Code: 280-105860

### Technical Specifications

Brush Motor DC	24V / 450W
Suction Motor DC	24V / 310W
Brush Speed	170 rpm
Pad/Brush Size	22"
Cleaning Width	56 cm
Working Capacity	3000 m <sup>2</sup> /h
Solution Tank	70 L
Recovery Tank	70 L
Dimension (cm)	126.5 (L) x 60 (W) x 103 (H)
Weight	190 kg



- Mxr aims to offer reduced environmental impact, in both the production and usage phases.
- All the components are protected inside the machine unit. This means less risk of breaking in case of accidental impact, avoiding additional repair costs and ensuring a longer working life.
- Low cost and super easy maintenance.



## IMEC GX80

Ride On Auto Floor Scrubber  
Code: 280-GX80

### Technical Specifications

Brush Motor DC	24V / 500 W
Suction Motor DC	24V / 550 W
Brush/Pad Speed	180 rpm
Brush/Pad Size	20"
Cleaning Width	56 cm
Working Capacity	3500 m <sup>2</sup> /h
Solution Tank	70 L
Recovery Tank	80 L
Dimension (cm)	120(L) x 82(W) x 115(H)
Weight	240 kg



- Powerful motor enhance durability and increase battery lifespan
- Efficient cleaning with 3 in 1 function. Wash, Scrub & Dry at one time
- Compact design that able to clean up to 3,500 m<sup>2</sup>/h
- Ergonomic and easy maneuverability design
- Unlike larger machines, this model is able to clean through tight/narrow areas and around obstacles easily
- Budget friendly option compared to large models machineries
- Versatility that fits for variety environment and industry.

# Floor Care Machine

Ride-On Auto Scrubber



## IMEC GX105

Ride On Auto Floor Scrubber  
Code: 280-GX105

### Technical Specifications

Brush Motor DC	24V / 2 x 300 W
Suction Motor DC	24V / 500 W
Brush/Pad Speed	180 rpm
Brush/Pad Size	2 x 13"
Cleaning Width	76 cm
Working Capacity	4200 m <sup>2</sup> /h
Solution Tank	100 L
Recovery Tank	105 L
Dimension (cm)	130(L) x 82(W) x 127.4(H)
Weight	334 kg

- With compact design, highly maneuverable and firm structure, combines intuitive operation and high-efficiency performance
- Eco with silent modes make it easy to clean over longer period
- Increase productivity with wider cleaning width to cover more cleaning area in less time



## IMEC GX140

Ride On Auto Floor Scrubber  
Code: 280-GX140

### Technical Specifications

Brush Motor DC	24V / 2 x 500 W
Suction Motor DC	24V / 600 W
Brush/Pad Speed	180 rpm
Brush/Pad Size	2 x 16"
Cleaning Width	86 cm
Working Capacity	5500 m <sup>2</sup> /h
Solution Tank	120 L
Recovery Tank	140 L
Dimension (cm)	145 (L) x 105 (W) x 130 (H)
Weight	370 kg

- Large tank capacity designed to clean up to 27,500 square meters for daily basis cleaning
- Efficient cleaning with 3 in 1 function. Wash, Scrub & Dry at one time
- Increase productivity with wider cleaning width to cover more cleaning area in less time



## IMEC GX180

Ride On Auto Floor Scrubber  
Code: 280-GX180

### Technical Specifications

Brush Motor DC	24V / 2 x 500 W
Suction Motor DC	24V / 550 W
Brush/Pad Speed	180 rpm
Brush/Pad Size	2 x 18"
Cleaning Width	86 cm
Working Capacity	6000 m <sup>2</sup> /h
Solution Tank	170 L
Recovery Tank	180 L
Dimension (cm)	160 (L) x 105(W) x 145(H)
Weight	400 kg

- Large tank capacity designed to clean up to 30,000 square meters for daily basis cleaning
- Efficient cleaning with 3 in 1 function. Wash, Scrub & Dry at one time
- Increase productivity with wider cleaning width to cover more cleaning area in less time



## IMEC MS1100

Manual Outdoor Sweeper  
Code: 260-MS1100

### Technical Specifications

Cleaning Width	100 cm
Working Capacity	3580 m <sup>2</sup> / h
Dust Capacity	55 L
Dimension (cm)	81 (L) x 108(H) x 87 (W)
Weight	19.6 kg

- Designed for a bulk garbage collection
- Adopts a unique spiral variable-direction transmission technology design
- Two rotating front brushes synchronously cooperate with the flat shovel close to the ground and collect massive garbage on the ground easily into the garbage bin
- The whole cleaning process is dust-free, noise-free and clean



## IMEC i-SWEEP 22

Battery Operated Walk Behind Auto Floor Sweeper  
Code: 260-69022

### Technical Specifications

Brush Motor DC	12V / 270W
Brush Speed	105 rpm
Working Capacity	4000 m <sup>2</sup> / h
Cleaning Width	100 cm
Dirty Hopper Capacity	22 L
Centre Brush Length	40 cm
Side Brush Length	40 cm (D)
Charging Hours	8 Hours
Battery Running Hours	5 Hours
Dimension (cm)	147 (L) x 98 (W) x 100 (H)
Product Weight	90 kg

- Excellent cleaning result able to pick/suck up all fine dust/debris compact and maneuverable makes machine can easily go around obstacles
- Excellent suction motor and efficient air filter to ensure no dust to come out during cleaning
- Low maintenance cost
- Strong protected frame and all components to avoid damages



# Floor Care Machine

Ride-On Auto Sweeper



## IMEC FIMAP FSR-B

Ride On Floor Sweeper Battery Driven  
Code: 280-106551

### Technical Specifications

Brush Motor DC	24V / 380W
Working Capacity	5100 m <sup>2</sup> /h
Cleaning Width	100 cm
Dirty Hopper Capacity	65 L
Centre Broom Length	60 cm
Side Brush Length	40 cm
Dimension (cm)	145.5 (L) x 84.5 (W) x 108 (H)
Weight	248.3 kg

- Suitable for both indoor and outdoor cleaning
- Compact maneuverable and can easily go around obstacles
- Easy and simple maintenance; debris hopper is very easy to remove and empty with no efforts
- User-friendly, ergonomic and easy drive steering wheel without distractions
- Enhanced with safety features



## IMEC FIMAP FSR HYBRID

Ride On Floor Sweeper Battery & Petrol Driven  
Code: 280-106553

### Technical Specifications

Brush Motor DC	24V / 380W
Working Capacity	5100 m <sup>2</sup> /h
Cleaning Width	100 cm
Dirty Hopper Capacity	65 L
Centre Broom Length	60 cm
Side Brush Length	40 cm
Dimension (cm)	145.5 (L) x 84.5 (W) x 108 (H)
Weight	255 kg

- Suitable for both indoor and outdoor cleaning
- Compact maneuverable and can easily go around obstacles
- Up to 45% energy saved
- Available with panel filter, for standard operations, or with cloth filter to achieve excellent filtering results, especially for environments with high presence of vastly fine dust



LED Lights



Edges and corners friendly



Water sprayer

## IMEC i-SWEEP 90

Ride On Floor Sweeper Battery Driven  
Code: 280-19700

### Technical Specifications

Brush Motor DC	12V / 400W
Working Capacity	6600 m <sup>2</sup> /h
Cleaning Width	120 cm
Dirty Hopper Capacity	90 L
Centre Brush Length	45 cm
Side Brush Length	28 cm
Dimension (cm)	165 (L) x 94.5 (W) x 135 (H)
Weight	540 kg

- Powerful sweeping machine perfect for outdoors and indoors
- Built-in big tools box
- Comes with overhead guard to protect operator from falling object or direct sunlight during outdoor cleaning
- Comes with water spray function
- Suitable for carpet and floor in airports, hotels or convention centers



## IMEC i-SWEEP 126

Ride On Auto Floor Sweeper  
Code: 280-12600

### Technical Specifications

Brush Motor DC	48V/650 W
Working Capacity	7200 m <sup>2</sup> /h
Cleaning Width	126 cm
Dirty Hopper Capacity	80 L
Water Tank Capacity	70 L
Centre broom Length	55 cm
Side Brush Length	2x50 cm
Dimension	156 (L) x 126 (W) x 132 (H)
Weight	350 kg



## IMEC i-SWEEP 140

Ride On Auto Floor Sweeper  
Code: 280-14000

### Technical Specifications

Brush Motor DC	48V / 700W
Working Capacity	9200 m <sup>2</sup> /h
Cleaning Width	140 cm
Dirty Hopper Capacity	180 L
Water Tank Capacity	70 L
Centre broom Length	70 cm
Side Brush Length	2x50 cm
Dimension	175 (L) x 125 (W) x 135 (H)
Weight	400 kg



## IMEC i-SWEEP 180

Ride On Auto Floor Sweeper  
Code: 280-18000

### Technical Specifications

Brush Motor DC	48V / 700W
Working Capacity	12600 m <sup>2</sup> /h
Cleaning Width	180 cm
Dirty Hopper Capacity	180 L
Water Tank Capacity	70 L
Centre broom Length	70 cm
Side Brush Length	2x50 cm
Dimension	185 (L) x 190 (W) x 200 (H)
Weight	500 kg

# Floor Care Machine

Ride-On Auto Sweeper



## IMEC SNS330

Ride On Battery Operated Auto Floor  
Code: 280-145000

### Technical Specifications

Cleaning Width	1450 mm
Squeegee Width	1350 mm
Side Brush Diameter	500 mm x 2
Main Brush Size	790 x 300 mm
Scrubbing brush	380 mm x 3
Working Capacity	13050 m <sup>2</sup> /h
Forward Speed	0-9 km/h
Solution Tank	280 L
Recovery Tank	330 L
Dirty Hopper Capacity	30 L
Vacuuming Filter	4.2 m <sup>2</sup>
Battery Type	Lithium
Battery Capacity	72 V / 300 Ah
Charging Time	8 hours
Running time	Up to 6 hours
Main Brush Motor	950 W
Side Brush Motor	90 W x 2
Dust Vibrating Motor	120 W
Brush Motor	600 W x 3
Suction Motor	600 W x 2
Driving Motor	2800 W
Weight	1015 kg
Dimension	2800 x 1460 x 1590 mm

### Suitable for various floor type



Cement Floor



Stone Brick



Epoxy Coated



Concrete



Industrial  
Grade Vinyl



Tiles



Sweeping + Scrubbing



Cleanse Effectively



Multipurpose  
Cleaning Solution



Durable & easy  
to Operate

Area performance:  
13050 m<sup>2</sup>/h



Cleaning width: 1450 mm

### IDEAL TO USE



Hotel



Commercial  
Building



Places of Worship



Transportation



Institution



Manufacturing



Warehouse



★ Standard Accessories

- Water Hose
- Pressure Gun
- Pressure Lance
- Pressure Hose



## IMEC HP130

High Pressure Cleaner  
Code: 205-130

### Technical Specifications

Voltage	220 - 240 V
Motor Power	2500 W
Water Pump Pressure	13 Mpa
Spray Rate	130 bar
Water Pump Speed	1400 rpm
Water Flow Rate	10 L / Min
Weight	44 kg

- The machine is designed for use the toughest conditions, with an extremely robust basic frame, and is surprisingly mobile. Thanks to the ergonomic frame concept
- High-pressure triggered gun with zero holding force for fatigue-free operation
- Mainly used in cleaning and maintenance of all kinds of airports, railway station, car parks, logistic centres and industrial facilities



★ Standard Accessories

- Water Hose
- Pressure Gun
- Pressure Lance
- Pressure Hose
- IMEC MC120



★ Optional Accessories

- S/Steel Surface Cleaner 21" (205-921)



## IMEC HP270G

Petrol Driven High Pressure Jet  
Code: 205-270G

### Technical Specifications

Motor Power	15 HP
Petrol Tank Capacity	5 L
Spray Rate/Water Pump Pressure	270 Bar / 27 Mpa
Water Flow Rate	15L/Min
Max. Inlet Water Temperature	30°C
Dimension (cm)	55(L) x 90(W) x 69(H)
Weight	70 kg

- The petrol driven high pressure jet cleaner is fitted with a LiFan petrol engine, allowing total independence from external power sources
- The pump is reliably protected by a large water filter and a thermostat valve
- A protective cage frame with eyelets to allow crane loading



## IMEC HP110

High Pressure Cleaner  
Code : 205-110

### Technical Specifications

Voltage	220 - 240 V
Frequency	50-60 Hz
Motor Power	3000 W
Motor Type	Single Phase Induction Motor
Water Pump Pressure	110 Bar / 1600Psi
Water Flow Rate	12 L/min
Water Pump Speed	2880 RPM

- Powered by WOJET Industrial Triplex Pump with forged brass manifold deliver consistent water flow
- Single-phase induction Motor with Thermal shutdown to save more electricity and expand the motor lifespan
- Save water consumption with just 12L per minute compare to traditional method

#### ★ Optional Accessories

S/Steel Surface Cleaner 14"  
(205-014)



#### ★ Provided Accessories



Comes with multiple size nozzle to met cleaning needed



## IMEC HP210G

Petrol Driven High Pressure Cleaner  
Code : 205-210G

### Technical Specifications

Rated Pressure	3000 PSI / 210 Bar
Rated Flow	2.4 GPM / 9.1 LPM
Starting Mode	Recoil Starter
Fuel Capacity	3.0L
Displacement	209cc
Weight	36 kgs

- Powered by WOJET Axial Pump with built in unloader valve
- Direct hand-pull start safe and environmental friendly

#### ★ Provided Accessories



Comes with multiple size nozzle to met cleaning needed

#### ★ Optional Accessories

S/Steel Surface Cleaner 14"  
(205-014)





## IMEC iBLACK PRO-T

Super Cool Wind Blower  
Code: 201-228

### Technical Specifications

Voltage	220 - 240 V
Fan Speed	Low - 1118 rpm Medium - 1253 rpm High - 1375 rpm
Motor	350 W
Cable Length	6 m
Dimension (cm)	30 (L) x 36 (W) x 42 (H)
Weight	6.3 kg

- Lightweight and super strong air blow
- Compact size to fit narrow spaces
- Available in 3 Speed Level to suit various application
- Dries any type of floor and carpet quickly



Long net cover, preventing inhalation of debris




## IMEC iBLACK PRO-C

Super Cool Wind Blower  
Code: 201-338

### Technical Specifications

Voltage	220 - 240 V
Air Flow	Low - 1025 rpm Medium - 1290 rpm High - 1380 rpm
Motor	900 W
Cable Length	7 m
Dimension (cm)	53 (L) x 42 (W) x 52 (H)
Weight	18 kg

- Super strong air, save drying time by HALF!
- Polyurethanes housing impact resistance
- Comes with extendable telescopic handle & large rear wheels for easy transportation
- Rock-solid base structure provide perfect stability during operation
- Features elevator stand to raise the blower for different angles (90°/45°) Available in 3 speed level (low, medium & high) to suit various application



Sturdy adjustable telescopic handle

# Floor Care Machine



Foldable Handle



Large tank capacity

## IMEC CK2626B IMEC CK2626E

26" Carpet Keeper Vacuum for Large Carpet Area  
Code: 210-2626  
210-2626E

### Technical Specifications

	• CK2626B	• CK2626E
Voltage	36V DC	220-240 V
Vacuum Motor	436 W DC x 2	800 W x 2
Brush Motor	150 W DC	700 W
Brush Speed	1420 rpm	1360 rpm
Vacuum at Nozzle	3.86 kPa	3.86 kPa
Air Flow Rate	172 L/Sec	172L / Sec
Vacuum Suction	14 M/Bar	14 M/Bar
Noise Level	75 dB(A)	75 dB(A)
Working Capacity	2500 m <sup>2</sup> /h	2500 m <sup>2</sup> /h
Cleaning Width	66 cm	66 cm
Running Hours	2 Hours	-
Weight	80 kg	65 kg

- Vacuum & Clean large area easily & effectively
- Delivers performance and increases productivity up to 2500 square meter per hour
- Easy operation and reducing operator fatigue while handling the machine
- Brush effectively removes dust and revive carpet pile in high traffic areas so your carpet stay looking great longer



## IMEC MK1

Heater Carpet Extractor Machine  
Code: 201- MK1

### Technical Specifications

Voltage	220 - 240 V
Suction Motor	2 x 1100 W
Spray Rate	Up to 600 Psi
Frequency	50-60Hz
Vacuum Suction	230 m / Bar
Solution Tank	50 L
Recovery Tank	50 L
Cable Length	20 m
Dimension (cm)	58 (L) x 75 (W) x 106 (H)
Weight	50 kg



Adjustable pressure up to 600 PSI



Easy reached control panel



Large rear pneumatic wheels



## IMEC iBLACK MOBILE 400EX PLUS

Carpet Extractor Machine  
Code: 201-400-PLUS

### Technical Specifications

Voltage	220 - 240 V
Suction Motor	1000 W (3 Stage Motor)
Brush Motor	190 W
Pressure	116 psi
Brush Width	40 cm
Suction Width	45.5 cm
Cable Length	12 m
Solution Tank	35 L
Recovery Tank	35 L
Dimension (cm)	46 (L) x 104 (W) x 87.5 (H)
Weight	48.5 kg

#### ★ Standard Accessories



Hand Utility Tools



Vacuum & Water Hose




## IMEC iBLACK MOBILE 500EX

Carpet Extractor Machine with Hot/Cold Water System  
Code: 201-500

### Technical Specifications

Voltage	220 - 240 V
Suction Motor	1000 (3 Stage Motor)
Brush Motor	190 W
Pressure	116 psi
Brush Width	40 cm
Suction Width	45.5 cm
Cable Length	12 m
Solution Tank	35 L
Recovery Tank	35 L
Dimension (cm)	46 (L) x 104 (W) x 87.5 (H)
Weight	48.5 kg

#### ★ Standard Accessories



Hand Utility Tools



Vacuum & Water Hose



## IMEC MOBILE 400M

Carpet Extractor Machine  
Code: 201-400M

### Technical Specifications

Voltage	220 - 240 V
Suction Motor	1000 W
Spray Motor	34 W
Vacuum Suction	250 m / Bar
Spray Rate	87 Psi
Cable Length	7 m
Solution Tank	10 L
Recovery Tank	40 L
Dimension (cm)	40 (L) x 40 (W) x 87 (H)
Weight	19.5 kg

#### ★ Standard Accessories



Detergent and Vacuum  
Hose x 1 set



Upholstery Utility Tools  
x 1 unit



Floor Wand x 1 unit



## IMEC MOBILE 800M

Carpet Extractor Machine  
Code: 201-800M

### Technical Specifications

Voltage	220 - 240 V
Suction Motor	1000 W x 2
Spray Motor	110 W
Vacuum Suction	250 m / Bar
Spray Rate	30 Psi
Cable Length	7 m
Solution Tank	20 L
Recovery Tank	60 L
Dimension (cm)	48 (L) x 60 (W) x 104 (H)
Weight	38 kg

#### ★ Standard Accessories



Detergent and Vacuum  
Hose x 1 set



Upholstery Utility Tools  
x 1 unit



Floor Wand x 1 unit